



CONTENTS

DOMETIC WAECO CFX FRIDGE/FREEZERS	3 -10
DOMETIC CF/CFF FRIDGE/FREEZERS	11 - 13
DOMETIC WAECO COOLPRO PORTABLE COOLERS	14 - 15
DOMETIC WAECO BORDBAR PORTABLE COOLERS	16
DOMETIC ABSORPTION COOLER	17
DOMETIC COOL ICE ICEBOXES	18 - 19
DOMETIC WAECO CFX ACCESSORIES - PROTECTIVE COVERS, FIXING KITS, FRIDGE SLIDES, FRIDGE STAND	22 - 23
DOMETIC COOL ICE ACCESSORIES	24
DOMETIC WAECO SPARE PARTS AND ELECTRONICS	25
DOMETIC KITCHEN SOLUTIONS	26 - 27
DOMETIC SANITATION SOLUTIONS	28 - 29
DOMETIC CHARGERS, INVERTERS & ACCESSORIES	30 - 31
DOMETIC BATTERIES AND PORTABLE SOLAR	32 - 33
DOMETIC BOX AWNINGS	34



HOW DO WE KNOW OUR PORTABLE FRIDGE/FREEZERS WORK? WE TESTED THEM IN THE AUSTRALIAN DESERT

When the weather's hot and you're in a remote location, a reliable compressor fridge/freezer is almost as important as a reliable vehicle. That's why we stress-tested our CFX series fridge/freezers in the western desert of Australia, where daytime temperatures often reach 40 °C. After three months of operation in one of the

most inhospitable climates on earth, we can tell you our products never lost their cool. In fact, not only can these fridge/freezers withstand the heat of the sun, they're ideal for running on solar power – thanks to superb power efficiency. In 2017 alone, we sold more than 2 million units globally.



DOMETIC WAECO CFX 75DZW

Portable fridge/freezer, 113 cans

A highly impressive 75 I dual zone fridge and freezer with easy operation and capable of heavy-duty operation. The Dometic Waeco CFX portable fridge/freezer has excellent cooling performance, even in high ambient temperatures. Robust construction, powerful and efficient cooling, this model even allows convenient temperature control via its WiFi app! Achieve independent temperatures from two separate cooling compartments.

The CFX is our most awarded product and you'll quickly understand why.

- Large gross capacity of 75 I (45 I and 30 I compartments)
- Store fresh food and drinks effortlessly with three removable wire baskets and space to fit up to 113 cans and ability to fit upright Riesling bottles
- Two separate compartments for cooling and freezing in any combination desired to be set freezer/freezer, freezer/fridge or fridge/fridge
- Easy-to-use WiFi app to help set, control and monitor temperatures in each compartment from a mobile device
- Both lids are completely separate, detachable and reversible for functional use
- Both compartments can be set between $+10\,^{\circ}\text{C}$ to $-22\,^{\circ}\text{C}$, with the ability to run at $-18\,^{\circ}\text{C}$ simultaneously at ambient temperatures up to $32\,^{\circ}\text{C}$
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures

See page 8 for more details.



Configuration	45 I Compartment	30 I Compartment
1	Fridge	Freezer
2	Freezer	Fridge
3	Fridge	Fridge
4	Freezer Freezer	
5	Either compartment can be OFF whilst other in operation	

CFX FRIDGE/FREEZER MONITORING APP

Monitor and control your fridge whilst on the move.

This app is exclusive to the CFX fridge/freezer range* and is available to download on your Android or iOS phone or tablet.

WIFI ENABLED APP FEATURES

- WiFi enabled smart phone app
- Download for iOS via the App Store or for Android via Google Play.
 Simply search 'CFX' (only one device can be connected)
- Set & monitor the temperature of your fridge/freezer
- Temperature alarm function
- Set or review your preferred battery protection level
- Lid open alert
- Displays supply voltage type (AC or DC)
- Displays DC voltage level
- Displays low voltage alarm
- Full details & FAQ's can be found via dometic.com

A) DOMETIC











ENERGY EFFICIENT GENUINE WAECO COMPRESSORS WITH INTEGRATED AC ELECTRONICS

The genuine WAECO compressors are the result of significant R&D investment, designed with input from Dometic WAECO engineers in order to fulfil performance requirements based on the Australian climate, usage and road conditions. The WAECO electronics via VMSO2 are matched to support the extreme (-22 $^{\circ}\text{C}$) capability and also contribute to the power efficiency of the WAECO CFX.

VMSO MK2 VARIABLE MOTOR SPEED OPTIMISATION PROVIDES FAST AND EFFICIENT COOLING OR FREEZING

The unique VMSO Mk2 technology in the CFX range ensures optimal compressor speed according to the set temperature. Building on VMSO first deployed in the CF range, the upgraded VMSO Mk2 provides an even softer start for the compressor. It now takes the compressor turbo speed to higher RPM than before, until set temperature is reached, after which the speed drops back to economy mode. For very cold freezer set temperatures, the compressor remains at turbo speed after the soft start. This technology is extremely effective in all weather conditions, especially when hot. Benefits include even faster and more energy efficient cooling with reduced wear and tear on the compressor.

^{*}Excluding CFX 28





DOMETIC WAECO CFX 28

Portable fridge/freezer, 43 cans

- Generous gross capacity of 28.21, to fit up to 42 cans and upright 21 soft drink bottle
- Optional quick release fixing kit allows secure install with mobility
- Designed with the driver in mind, the Polypropylene lid can be opened from the short side, is detachable and the inside shelf is at the back so it's easy to reach in
- Ability to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient genuine compressor technology provides fast and efficient refrigeration and freezing, even in extremely high outside temperatures
- Rugged features and robust design made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider

Ref No. 9105306503



DOMETIC WAECO CFX 35W

Portable fridge/freezer, 47 cans

- Generous gross capacity of 34.5 l to fit 47 cans and a standard 2 l soft drink bottle
- Easy-to-use Wi-Fi app to help set, control and monitor temperatures in compartment from a mobile device
- Polypropylene lid is completely detachable
- Abililty to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Rugged features and robust design made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider

Ref No. 9105306495



DOMETIC WAECO CFX 40W

Portable fridge/freezer, 60 cans

- Generous gross capacity of 41 I to fit 60 cans and a standard Riesling bottle upright
- Easy-to-use Wi-Fi app to help set, control and monitor temperatures in compartment from a mobile device
- Polypropylene lid is completely detachable
- Ability to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Rugged features and robust design made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider



DOMETIC WAECO CFX 50W

Portable fridge/freezer, 72 cans

- Generous gross capacity of 50 l to fit 72 cans and a standard Riesling bottle upright
- Easy-to-use Wi-Fi app to help set, control and monitor temperatures in compartment from a mobile device
- Polypropylene lid is completely detachable and reversible for functional use
- Ability to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Rugged features and robust design made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider

Ref No. 9105306497



DOMETIC WAECO CFX 65W

Portable fridge/freezer, 106 cans

- Large gross capacity of 65 I to fit 106 cans and a standard Riesling bottle upright
- Easy-to-use Wi-Fi app to help set, control and monitor temperatures in compartment from a mobile device
- Polypropylene lid is completely detachable and reversible for functional use
- Ability to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Rugged features and robust design made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider

Ref No. 9105306498



DOMETIC WAECO CFX 75DZW

Portable fridge/freezer, 113 cans

- Large gross capacity of 75 I (45 I and 30 I compartments)
- Two separate compartments for cooling and freezing in any combination desired to be set - freezer/freezer, freezer/fridge or fridge/fridge
- Easy-to-use WiFi app to help set, control and monitor temperatures in each compartment from a mobile device
- Both polypropylene lids are completely separate, detachable and reversible for functional use
- Both compartments can be set between 10 °C to -22 °C, with the ability to run at -18 °C simultaneously at ambient temps up to 32 °C
- Energy efficient genuine compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Store fresh food and drinks effortlessly with three removable wire baskets and space to fit up to 113 cans and ability to fit wine bottles upright



DOMETIC WAECO CFX 95DZW


Portable fridge/freezer, 133 cans


- Energy efficient genuine compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Two separate compartments for cooling and freezing in any combination desired to be set - freezer/freezer, freezer/fridge or fridge/fridge
- Easy-to-use WiFi app to help set, control and monitor temperatures in each compartment from a mobile device
- Both polypropylene lids are completely separate, detachable and reversible for functional use
- Both compartments can be set between 10 °C to -22 °C, with the ability to run at -18 °C simultaneously at ambient temps up to 32 °C
- Energy efficient compressor technology provides fast and efficient cooling and freezing, even in extremely high outside temperatures
- Store fresh food and drinks effortlessly with three removable wire baskets and space to fit up to 133 cans and ability to fit Riesling bottles upright

Ref No. 9600001410 Ref No. 9105306502

DOMETIC WAECO CFX SPECIFICATIONS	DOMETIC WAECO CFX 28 Portable fridge/freezer, 43 cans	DOMETIC WAECO CFX 35W Portable fridge/freezer, 47 cans	
Gross volume	281	34.51	
Voltage	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	
Power input (AC 230 V)	54 W (@ 230 V AC, 5 °C interior, 32 °C ambient)	54 W (@ 230 V AC, 5 °C interior, 32 °C ambient)	
USB charging outlet	5 V / 500 mA rating	5 V / 500 mA rating	
Power consumption (DC 12 V)	Average current draw \times running time. Average 0.75 Ah/h (@12 V, 5 °C interior, 32 °C ambient temperature)	Average current draw x running time. Average 0.77* Ah/h (@12 V, 5 $^{\circ}$ C interior, 32 $^{\circ}$ C ambient temperature). *Add 0.13 Ah/h when WiFi on	
Temperature range	+10 °C to -22 °C (although capable of -22 °C, minimum setting of -18 °C recommended for normal usage)	$+10^{\circ}\text{C}$ to -22 $^{\circ}\text{C}$ (although capable of -22 $^{\circ}\text{C}$, minimum setting of -18 $^{\circ}\text{C}$ recommended for normal usage)	
Insulation	CFC-free PU foam, substantial thickness on lid, bottom & sides	CFC-free PU foam, substantial thickness on lid, bottom & sides	
System	Fully hermetic Waeco AMV13JZ compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator	Fully hermetic Waeco ACV20DC compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator	
Material	Cabinet & lid: polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	Cabinet & lid: Polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	
Colour	Body: pale grey/light grey; lid: light grey	Body: pale grey/light grey; lid: light grey	
Weight (kg)	13.1	17.5	
Dimensions (W x H x D) mm	342 x 425 x 620	398 x 411 x 692	
Quality features	Detachable lid, interior light. CFX VMSO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base	Detachable lid, interior light. CFX VMSO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled	
Scope of delivery	DC and AC connection cables, removable wire basket, spring-loaded carrying handles	DC and AC connection cables, removable wire basket, spring-loaded carrying handles	
Ref No	9105306503	9105306495	










8

DOMETIC WAECO CFX 40W Portable fridge/freezer, 60 cans	DOMETIC WAECO CFX 50W Portable fridge/freezer, 72 cans	DOMETIC WAECO CFX 65W Portable fridge/freezer, 106 cans
411	501	651
12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC
56 W (@ 230 V AC, 5 °C interior, 32 °C ambient)	60 W (@ 230 V AC, 5 °C interior, 32 °C ambient)	65 W (@ 230 V AC, 5 °C interior, 32 °C ambient)
5 V / 500 mA rating	5 V / 500 mA rating	5 V / 500 mA rating
Average current draw x running time. Average 0.74* Ah/h (@12 V, 5 °C interior, 32 °C ambient temperature). *Add 0.13 Ah/h when WiFi on	Average current draw x running time. Average 0.77* Ah/h (@12 V, 5 °C interior, 32 °C ambient temperature). *Add 0.13 Ah/h when WiFi on	Average current draw x running time. Average 0.85* Ah/h (@12 V, 5 °C interior, 32 °C ambient temperature). *Add 0.13 Ah/h when WiFi on
+10 °C to -22 °C (although capable of -22 °C, minimum setting of -18 °C recommended for normal usage)	+10 $^{\circ}\text{C}$ to -22 $^{\circ}\text{C}$ (although capable of -22 $^{\circ}\text{C}$, minimum setting of -18 $^{\circ}\text{C}$ recommended for normal usage)	$+10^{\circ}\text{C}$ to -22°C (although capable of -22°C , minimum setting of -18°C recommended for normal usage)
CFC-free PU foam, substantial thickness on lid, bottom & sides	CFC-free PU foam, substantial thickness on lid, bottom & sides	CFC-free PU foam, substantial thickness on lid, bottom & sides
Fully hermetic Waeco ACV20DC compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator	Fully hermetic Waeco ACV20DC compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator	Fully hermetic Waeco ACV20DC compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator
Cabinet & lid: Polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	Cabinet & lid: Polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	Cabinet & lid: Polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel
Body: pale grey/light grey; lid: light grey	Body: pale grey/light grey; lid: light grey	Body: pale grey/light grey; lid: light grey
18.5	20.4	22.3
398 x 461 x 692	725 x 471 x 455	725 x 561 x 455
Detachable lid, interior light. CFX VMSO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled	Detachable & reversible lid, interior light. CFX VMSO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled	Detachable & reversible lid, interior light. CFX VMSO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled
DC and AC connection cables, removable wire basket, spring-loaded carrying handles	DC and AC connection cables, removable wire basket, spring-loaded carrying handles	DC and AC connection cables, removable wire basket, spring-loaded carrying handles
9105306496	9105306497	9105306498









DOMETIC WAECO CFX SPECIFICATIONS	DOMETIC WAECO CFX 75DZW Portable fridge/freezer, 113 cans	DOMETIC WAECO CFX 95DZW Portable fridge/freezer, 133 cans
Gross volume	75 I (45/30 I compartments)	94.5 I (54/40.5 I compartments)
Voltage	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC
Power input (AC 230 V)	65 W (@ 230 V AC, 5 °C interior, 32 °C ambient)	70 W (@ 230 V AC, +3 °C/-15 °C large/small compartments, 32 °C ambient)
USB charging outlet	5 V / 500 mA rating	5 V / 500 mA rating
Power consumption (DC 12 V)	Average current draw x running time. Average 2.9* Ah/h (@12 V +3 °C/-15 °C large/small compartments, 32 °C ambient temperature) *Add 0.13 Ah/h when WiFi on	Average current draw x running time. Average 3.6* Ah/h (@12 V +3 °C/-15 °C large/small compartments, 32 °C ambient temperature) *Add 0.13 Ah/h when WiFi on
Temperature range	+10 °C to -22 °C in both compartments (temps below -18 °C not recommended for normal use) -18 °C achievable both compartments simultaneously up to 32 °C ambient	+10 °C to -22 °C in both compartments (temps below -18 °C not recommended for normal use) -18 °C achievable both compartments simultaneously up to 32 °C ambient
Insulation	CFC-free PU foam, substantial thickness on lid, bottom & sides	CFC-free PU foam, substantial thickness on lid, bottom & sides
System	Fully hermetic Waeco ACV20DC compressor, 2 x aluminum rollbond evaporators with independent control electronics & displays, 3-level low voltage protection, electronic fuse/automatic reverse polarity protection, dynamically vented fin/tube condenser	Fully hermetic Waeco ACV25DC compressor, 2 x aluminum rollbond evaporators with independent control electronics & displays, 3-level low voltage protection, electronic fuse/automatic reverse polarity protection, dynamically vented fin/tube condenser
Material	Lids: polypropylene, Cabinet: ABS & painted zinc steel, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	Lids: polypropylene, Cabinet: ABS & painted zinc steel, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel
Colour	Body: Dark grey sides with light grey top highlight, Lids: light grey	Body: Dark grey sides with light grey top highlight, Lids: light grey
Weight	31 kg	32 kg
Dimensions (W x H x D) mm	887 x 472 x 495	957 x 472 x 530
Quality features	Detachable & reversible lids, interior lights with lid open alarm, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled	Detachable & reversible lids, interior lights with lid open alarm, USB port, dimmable display, 4 point M6 nutserts in base, WiFi enabled
Scope of delivery	DC and AC connection cables, 3 removable wire baskets, spring-loaded carrying handles	DC and AC connection cables, 3 removable wire baskets, springloaded carrying handles
Ref No.	9600001410	9105306502











CF SERIES

The compact CF series that can go anywhere

With a handy shoulder strap (CF 11 only) and carry handles, the CF Series is a range of compact fridge/freezers that you can take anywhere. Super-slim and easy to fit in the smallest of spaces, the CF fridge/freezers can deep-freeze food and drinks with minimal power consumption. Offering greater convenience the CF Series is even lighter than its predecessor thanks to its new compact compressor.

CFF SERIES

A great companion for embarking on life's greatest adventures

This series is designed to keep adventurers off the grid for longer, integrating impressive cooling or freezing with efficient interior storage. Whether it's storing for short stays, long trip dinners, or wine and soft drink bottles, the CFF series makes the most of its optimized capacity and allows everyone to enjoy everything cool that Dometic has to offer.











The mid-sized Dometic CFF 45 boasts a digital electronic control system and can keep its interior as low as -18°C. Families will enjoy the convenience of being able to choose between a fridge or a freezer, allowing them to pack for short stays or long trip dinners. Its new and improved handles provide comfort like never seen before. The 43.5 I capacity can hold wine and soft drink bottles upright, meaning the CFF 45 is a great companion for any adventure.

The integrated compartment allows for a more effective use of storage space, whilst the generous insulation optimises cooling performance and energy efficiency. The innovative double-sided opening lid is a first for Dometic portable refrigeration, providing consumers with a portable fridge or freezer that is user-friendly, robust and easy on the eye.







DOMETIC COOLFREEZE CF 11

Fridge or freezer, 13 cans

- 12 or 24 V DC, 100-240 V AC
- Storage volume of 10.5 l
- Refrigeration from +10 °C to -18 °C
- Lightweight at only 8.5 kg
- Refrigeration or freezing
- Extremely compact, super-slim design
- With shoulder strap for easy transport

DOMETIC WAECO CF-18

Fridge or freezer, 27 cans


- Extremely compact design
- Storage volume 18 I
- Refrigeration and deep-freezing
- Compact compressor, therefore light in weight
- 12 or 24 V DC
- Refrigeration from $+10 \,^{\circ}\text{C}$ to $-18 \,^{\circ}\text{C}$


DOMETIC CFF 45

Fridge or freezer, 62 cans


- 43.5 l of storage for convenient cooling
- Single compartment allows either refrigeration or freezing
- Energy efficient design provides fast and excellent cooling and freezing, even in extremely high outside temperatures
- Optimised footprint allows it to be used with the CFX-SLD35/40 fridge slide
- Double sided opening lid


Gross volume	11.1	181	451
Voltage	12/24 V DC, 100 - 240 V AC	12/24 V DC	12/24 V DC, 100 - 240 V AC
Power input (AC 230 V)	30 W	N/A	56 W
Power consumption (DC 12 V)	Average current draw x running time. Average 0.45 Ah/h (@12 V, $5 ^{\circ}$ C interior, $32 ^{\circ}$ C ambient temperature)	Average current draw \times running time. Average 0.50 Ah/h (@12 V, 5 °C interior, 32 °C ambient temperature)	Average current draw x running time. Average $0.88 \text{Ah/h} (@12 \text{V}, 5^{\circ}\text{C}$ interior, 32°C ambient temperature)
Temperature range	+10 °C to -18 °C, continuously variable via electronic thermostat with digital temperature readout	$+10^{\circ}\text{C}$ to -18 $^{\circ}\text{C}$, continuously variable via rotary knob control	$+10^{\circ}\mathrm{C}$ to $-18^{\circ}\mathrm{C}$, continuously variable via electronic thermostat with digital temperture readout
Insulation	CFC-free PU foam	CFC-free PU foam	CFC-free PU foam
System	Compressor with integrated control electronics, low voltage protection (can be adjusted), electronic fuse/ automatic reverse pole protection	Compressor with low-voltage protection adjustable for leisure or starter battery by means of a slide switch, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator	Secop compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator
Material	Housing and lid polypropylene	Cabinet: polypropylene, Lid: polyethylene	Cabinet & lid: polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: acetyl. All screws are stainless steel.
Colour	Body: Dark grey sides, Lid: light grey	Pale grey/dark grey	Body: Dark grey sides with light grey top highlight, Lid: light grey
Weight	8.5 kg	12 kg	18.6 kg
Dimensions (W x H x D) mm	235 x 358 x 540	465 x 414 x 300	590* x 475 x 398 (*715 inc. handles)
Quality features	Extremely compact design, electronic thermostat with digital temperature display, 3-stage battery monitor, LED interior light, adjustable shoulder strap, two drink holders, easy and secure fastening with the vehicle safety belt	Detachable fold-up lid, sturdy carrying handle, vertical space for standing 2 litre bottles	Double-sided opening lid, interior light, dimmable display, 4 point M6 nutserts in base, vertical space for standing wine or soft drink bottles
Scope of delivery	DC and AC connection cable, carry strap	DC connection cable, folding shelf	DC and AC connection cables, removable wire basket, detachable carrying handles
Ref No.	9600010779	9105303084	9600010944



















DOMETIC WAECO COOLPRO TC 14

Portable cooler

- Storage volume of 14 I
- Cooling up to 25 °C below external temperature
- Heating up to +65 °C
- Intelligent power-save circuit
- Special electronics with a new soft-touch control panel
- Seven-level temperature regulation
- Multiple power sources:
 12/24 V DC, 230 V AC

Ref No. 9105302047



DOMETIC WAECO COOLPRO TC 21

Portable cooler

- Storage volume of 20 I
- Cooling up to 25 °C below external temperature
- Heating up to +65 °C
- Intelligent power-save circuit
- Special electronics with a new soft-touch control panel
- Seven-level temperature regulation
- Multiple power sources: 12/24 V DC, 230 V AC

Ref No. 9105302086




DOMETIC WAECO COOLPRO TC 35

Portable cooler


- Storage volume of 33 l
- Cooling up to 25 °C below external temperature
- Heating up to +65 °C
- Intelligent power-save circuit
- Special electronics with a new soft-touch control panel
- Seven-level temperature regulation
- Multiple power sources: 12/24 V DC, 230 V AC


Ref No. 9105302111

DOMETIC WAECO DOMETIC WAECO DOMETIC WAECO COOLPRO TC 14 COOLPRO TC 21 COOLPRO TC 35 Gross volume 55 W at 12 V DC 55 W at 12 V DC 55 W at 12 V DC Power 60 W at 24 V DC 60 W at 24 V DC 60 W at 24 V DC consumption (DC 12 V) 80 W at 240 V AC 80 W at 240 V AC 80 W at 240 V AC Average 30% at +20 °C ambient 32% at +20 °C ambient temperature 35% at +20 °C ambient temperature running time temperature Insulation Polyurethane full-foam insulation Polyurethane full-foam insulation Polyurethane full-foam insulation Wear-free thermoelectrics (Peltier System Wear-free thermoelectrics (Peltier system). Wear-free thermoelectrics (Peltier system), cold system), cold transmission to the cold transmission to the interior by dynamically transmission to the interior by dynamically ventilated interior by dynamically ventilated ventilated aluminium heat exchanger, heat aluminium heat exchanger, heat dissipation to the aluminium heat exchanger, heat dissipation to the outside by high-performance outside by high-performance heat exchanger and dissipation to the outside by highheat exchanger and brushless motor fan brushless motor fan performance heat exchanger and brushless motor fan Material Sturdy injection moulded parts Sturdy injection moulded parts Sturdy injection moulded parts Dark grey/pale grey Dark grey/pale grey Dark grey/pale grey Colour Weight 10.3 kg 5.5 kg 7 ka 303 x 328 x 450 303 x 420 x 450 **Dimensions** 376 x 460 x 550 (WxHxD) mm **Test marks** CE, TÜV/GS, e-approved to CE, TÜV/GS, e-approved to 2006/28/EC CE, TÜV/GS, e-approved to 2006/28/EC (Automotive 2006/28/EC (Automotive EMC (Automotive EMC Directive) **EMC Directive)**



Directive)









DOMETIC WAECO BORDBAR TB 08

Portable cooler

- 8 I storage volume
- Fits 0.33 I cans and 0.5 I bottles
- Cooling up to 20 °C below ambient temperature
- Heating up to 65 °C
- Easy to fasten with the seat belt on front passenger seat or centre of rear seat
- Surprisingly spacious and convenient in the car
- 12 V DC

16

Dimensions (W x H x D) mm: 200 x 298 x 442 Weight: 3.1 kg Ref No. 9105302017




DOMETIC WAECO BORDBAR TB 15

Portable cooler

- 15 I storage volume
- Fits 1.5 and 21 bottles
- Cooling up to 20 °C below ambient temperature
- Heating up to 65 °C
- Easy to fasten with the seat belt on front passenger seat or centre of rear seat
- Surprisingly spacious and convenient in the car
- 12 V DC

Dimensions (W x H x D) mm: 282 x 328 x 462 Weight: 5.6 kg


















COOLICE

Ice boxes in heavy duty design

Dometic iceboxes feature an extremely effective insulation system. Once filled with ice, they can keep groceries, drinks, fish, and bait fresh for several days. The new facelift models of the popular Cool Ice series are even cooler. Practical accessories like seat cushions, fishing rod holders and bottle openers make them indispensable companions for beach-goers, fishermen, and other adventurers. The modular storage system, consisting of wire baskets and dividers, help to organise food and drink neatly.







EASY LOCK AND SEAL Lock and seal cold air inside for longer lasting ice



EASY TO CARRY Strong carry strap makes transportation easy (WCI models only)




STRONG DROPDOWN HANDLES Strong, ergonomic handles for easy transport



ROBUST DESIGN Robust designed handles



TIE-DOWN POINTS Integrated tie-down points below handles



KEEP ICE FOR UP TO 10 DAYS* The labyrinth seal prevents any heat from making its way into the interior

18

 $^{^{\}star}$ Ice will last from 3 to 10 days depending on usage and conditions



DOMETIC COOL ICE WCI 13

- Storage capacity of 13 I
- Dimensions (W x H x D) mm: 388 x 305 x 245
- Weight 2.8 kg

Ref No. 9108400056



DOMETIC COOL ICE WCI 22

- Storage capacity of 22 l
- Dimensions (W x H x D) mm: 388 x 313 x 360
- Weight 4.2 kg

Ref No. 9108400060



DOMETIC COOL ICE WCI 33

- Storage capacity of 33 l
- Dimensions (W x H x D) mm: 420 x 440 x 360
- Weight 6.1 kg

Ref No. 9108400663



DOMETIC COOL ICE CI 42

- Storage capacity of 43 I
- Dimensions (W x H x D) mm: 640 x 355 x 418
- Weight: 8.7 kg

Ref No. 9600000541



DOMETIC COOL ICE CI 55

- Storage capacity of 56 l
- Dimensions (W x H x D) mm: $570 \times 432 \times 515$
- Weight: 10.6 kg

Ref No. 9600000542



DOMETIC COOL ICE CI 70

- Storage capacity of 71 I
- Dimensions (W x H x D) mm: 690 x 432 x 515
- Weight: 11.8 kg

Ref No. 9600000543



DOMETIC COOL ICE CI 85

- Storage capacity of 87 I
- Dimensions (W x H x D) mm: 840 x 432 x 525
- Weight: 14 kg

Ref No. 9600000544



DOMETIC COOL ICE CI 85W

- Storage capacity of 86 I
- Dimensions (W x H x D) mm: 840 x 432 x 525
- Weight: 14.6 kg

Ref No. 9600000545



DOMETIC COOL ICE CI 110

- Storage capacity of 111 I
- Dimensions (W x H x D) mm: 1055 x 442 x 535
- Weight: 18.1 kg

Ref No. 9600000546



The Dometic Cool Ice iceboxes, was a winner of the iF Design Award, a world-renowned design prize.
63 independent experts from all over the world were impressed by the Cool Ice iceboxes ability to keep ice frozen for up to ten days and range of optional accessories*. For 65 years, the iF Design Award has been recognised as an arbiter of quality for exceptional design.



CFX ACCESSORIES

Accessories for the compact portable fridge/freezer range

Specifically designed to maximise functionality, these accessories are a must for owners of CFX portable fridge/freezers. The range includes protective covers to keep the fridge/freezers insulated and improve efficiency, fixing kits to secure the units in vehicles, and fridge slides to allow easy access.

The CFX insulated protective cover helps keep portable fridge and freezers insulated for improved efficiency and prevents external damage from the outside elements. It is a practical accessory with outside pockets to store small items, direct access to the controls, four fixing rings to secure safely in the vehicle.



DOMETIC CFX-IC28 - CFX-IC95100

Protective cover

- Extra insulation from extreme outside temperatures
- Conserves battery power and improves overall efficiency
- Made from high quality Oxford nylon fabric, hard-wearing rubber coated nylon and aluminium coated polyester
- Open panels for handles and connection plugs
- Protects against dirt, dust, sand, moisture and water splashes keeping it like new

Product	Ref. No
CFX IC28	9108300203
CFX IC35	9108300003
CFX IC40	9108300004
CFX IC50	9108300005
CFX IC65	9108300006
CFX IC95100	9108300206



DURABLE ZIPSHeavy-duty zips are built for long-lasting performance



ADDED STORAGEUseful storage pockets for cords and other accessories



TRANSPARENT WINDOWAllows view of LED display and gives access to the power and temperature buttons



EASY ACCESSCut-out section for easy access to AC and DC ports



ENERGY EFFICIENTInsulating material improves energy efficiency



VENT ACCESSAvoids overheating and ensures reliable performance

PORTABLE REFRIGERATION / ACCESSORIES



DOMETIC CFX-28 FIXING KIT

Fixing kit

• Suitable for the CFX-28 only

Ref No. 9105306218



DOMETIC CFX FIXING KIT

Fixing kit

• Suits all CFX portable fridge and freezers

Ref No. 9108300002



DOMETIC CFX CORNER CAP/BRACKETS 75

Corner caps for CFX 75DZW

- · Made from strong acetal material
- Installation tool and screws included

Dimensions (W x H x D) mm: 90 x 90 x 48 Ref No. 9600013945



DOMETIC CFX CORNER CAP/BRACKETS 95

Corner caps for CFX 95DZW & CFX 100W

- Made from strong acetal material
- Installation tool and screws included

Dimensions (W x H x D) mm: 90 x 90 x 48 Ref No. 9600013946



DOMETIC CFX-SLD35/40

Fridge slide

- Convenient access to fridge and freezer secured in the vehicle
- Up to 100 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 476 x 79 x 791 Extended: D1451 mm (inc. lever) Weight: 16.5 kg

Ref No. 9108300001



DOMETIC CFX-SLD50/65

Fridge slide

- Convenient access to fridge and freezer secured in the vehicle
- Up to 100 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 533 x 79 x 791 Extended: D1451 mm (inc. lever) Weight: 17 kg

Ref No. 9108300000



DOMETIC CFX-SLD75

Fridge slide

- Convenient access to fridge/freezer secured in the vehicle
- Up to 100 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 580 x 79 x 940 Extended: D 1710 mm (inc. lever)

Weight: 20.5 kg Ref No. 9105306633



DOMETIC CFX-SLD95/100

Fridge slide

- Convenient access to fridge/freezer secured in the vehicle
- Up to 115 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 613 x 79 x 1011 Extended: 1850 mm (inc. lever) Weight: 22 kg Ref No. 9105306558

PORTABLE REFRIGERATION / ACCESSORIES

OTHER PRODUCTS



DOMETIC CFF-IC45

Protective cover

• Suits CFF 45 only Ref No. 9600012920



DOMETIC COOLFREEZECB-CF18

Protective cover

Suits CF-18 only
 Ref No. 9109002219



DOMETIC COOLFREEZE AC-UFK

Fixing kit

• Vehicle fixing kit for CF-25 - CF-60 Ref No. 9105303708



DOMETIC COOLPOWER RAPS12R-U2

Fridge power kit

 Heavy duty 12 V power wiring kit with integrated Merit & cigarette sockets
 Ref No. 9108400100



DOMETIC RAPS72 KIT

Battery cradle

• Cradle for two RAPS battery packs Ref No. 9105303701



DOMETIC TROPICOOL AC-UFK-T

Fixing kit

 Vehicle fixing kit for TC 14 and TC 21 Ref No. 9105303709



DOMETIC COOLFREEZE FRIDGE STAND

Fridge Stand

• Up to 80 kg load

Dimensions (W x D) mm: 450 x 330 Weight: 1.98 kg Ref No. 9108400101



CI ICEBOX ACCESSORIES

Accessories for Dometic's new portable icebox range

Enhance the capabilities of your Dometic CI Icebox and improve your comfort while traveling. We have accessories that optimise storage through better organisation, hold drinks or your fishing rod, and you

can even turn your icebox into a comfortable seat! Customise your icebox with accessories to suit your own needs.



DOMETIC CI-SC42 - CI-SC110

Seat cushion

This lightweight and comfortable seat cushion is suitable for use with CI 42

- CI 110 iceboxes



Product	Ref. No
CI-SC42	9108400892
CI-SC55	9108400893
CI-SC70	9108400894
CI-SC85/85W	9108400895
CI-SC110	9108400896



DOMETIC CI-DIVS

Small divider for CI 42

- Manages storage in Dometic iceboxes
- Made from durable low-density polyethylene material
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400897



DOMETIC CI-DIVL

Large divider for CI 55 - CI 110

- Manages storage in Dometic iceboxes
- Made from durable low-density polyethylene material
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400898



DOMETIC CI-BSKS

Small basket for CI 42

- Manages storage in Dometic iceboxes
- Made from durable powder coated steel
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400899



DOMETIC CI-BSKL

Large basket for CI 55 - CI 110

- Manages storage in Dometic iceboxes
- Made from durable powder coated steel
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400900



DOMETIC CI-DRHBRK

Bracket and drink holder for CI iceboxes

- Suitable for use with Cliceboxes
- Holds a range of new accessories
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400901



DOMETIC CI-RDH

Rod holder for CI iceboxes

- Suitable for use with Cliceboxes
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400903



DOMETIC CI-DRH

Drink holder for Cl iceboxes

- Suitable for use with Cliceboxes
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400902



DOMETIC CI-BOP

Bottle opener for Cl iceboxes

- Suitable for use with Cliceboxes
- Easy to install and remove as required
- Made from durable stainless steel

Ref No. 9108400904



DOMETIC CI-FK

Fixing kit for Cl iceboxes

- Suitable for use with Cliceboxes
- Heavy duty straps
- Low profile tie-down anchor points

DOMETIC WAECO SPARE PARTS



12 V CABLE CF 25/35/40/50/ 50DZ /60 # 80-T2-2000AG Ref No. 9108400557



12 V CABLE CF 18 only # 80-T2-2000Al

Ref No. 9108400558



12 V CABLE Suits CF 80/80DZ/110 # 80-T2-1500AG1

Ref No. 9108400559



12 V CABLEFor thermoelectric models
80-T1-2800AA
Ref No. 9108400568

12 V CABLE

12 V CABLE Suits CFX 28/35/35W 40/40W/50/50W/ 65/65W/65DZ/75DZW Ref No. 4450016808



12 V CABLE Suits CFX 95DZ2/95DZW

Ref No. 4450016805



CHARGE CABLESuits RAPS 36/44
80-T2-1500JL
Ref No. 9108400562



240 V CABLESuits CFX & CF range # 38-AU-2000B4
Ref No. 9108400560



240 V CABLEFor thermoelectric models
#38-AU-2000B1
Ref No. 9108400569



HINGE ASSEMBLY Suits CF 80/80DZ/110 # 028-HINGEASA Ref No. 9108400561



LATCH ASSEMBLYSuits CF 80/80DZ/110
028LOCKASA
Ref No. 9108400563



LID LANYARD Suits CF 50/50DZ/60 # 005NYLONASA Ref No. 9108400564



LID LANYARDSuits CF 80/80DZ/110
028NYLONASA

Ref No. 9108400565



WCI Icebox, pair # WCI-2001

Ref No. 9108400465



LATCH FRONTWCI Icebox, pair
WCI-2002

Ref No. 9108400466



BUNG Suits WCI & CI icebox range #CI-007 Ref No. 9600008929



LATCHSuits Cl icebox range, pair #CI-001

Ref No. 9600016477

ELECTRONICS

Accessories for coolers and refrigerators - cooling without compromise



No need to accept any restrictions in the use of your cooling box, even if you have a simple or older make. CoolPower accessories give you plenty of flexibility. You can run a 12-volt device from a 24-volt battery, or from a mains supply in your holiday home. You can also connect a clever device to prevent excessive battery drainage.



DOMETIC COOLPOWER EPS-817

Power adapter

- Maximum power consumption of 72 W
- Ideal for use at home, in a hotel, or on a campsite
- · Suitable for CF, CDF, MDC fridge/freezer models

Ref No. 9109002086



DOMETIC COOLPOWER MPS-50

Power adapter

- Adapter for problem-free connection
- Suitable for Dometic compressor fridges
- Includes transfer switch for automatic power grid



Extensive research and development were undertaken when designing the Dometic Slide Out Kitchen, resulting in some seriously impressive features, including a modular construction that is significantly lighter than similar units in the market. Installation is simple, with a three-step installation method, and is compatible with all popular access doors. A range of optional accessories is available to maximise the functionality of the Dometic Slide Out Kitchen, including bottle operner, drink holder, utensil holder, chopping board and serving tray.

QUALITY FEATURES

- Dedicated area for cooking, cleaning, and chopping
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large dual side storage compartment
- Range of accessories available, including chopping board and utensil holder

SPECIFICATIONS			
	SKS101	SKL101	
Ref No.	9600019015	9600006441	
Dimensions (W x H x D) mm	630 x 280 x 1220	640 x 335 x 1670	
Net Weight	34 kg	44 kg	
Number of Burners	3	3	
Gas Category	ULPG	ULPG	
Input Voltage	12 V DC	12 V DC	



The Dometic Slide Out Kitchen was a winner of the 2018 iF Design Award, a world-renowned design prize.
63 independent experts from all over the world were impressed by the Slide Out Kitchen's versatile functionality and lightweight aluminium construction. For 65 years, the iF Design Award has been recognised as an arbiter of quality for exceptional design.

ACCESSORIES FOR COOKING

You can keep your food fresher for five times longer and fit more in your portable fridge when you use the vacuum seal.

It will lock in the flavour, colour and nutrition of the food in an airtight seal, which helps it last longer.







DOMETIC VACUUM SEALER

Vacuum sealer

- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Close the lid until it locks into place, press the START button and seal food in seconds
- Locks in flavor, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximise fridge and freezer space

Dimensions (W \times H \times D) mm: 373 \times 85 \times 150 Weight:1.41 kg Ref No. 9108400481

DOMETIC VACUUM SEALER ROLLS

Sealer rolls

- 8" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavor, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximise fridge and freezer space

Dimensions (W x H x D) mm: $90 \times 45 \times 203$ Weight: 0.24 kg Ref No. 9108400482

DOMETIC VACUUM SEALER ROLLS

Sealer rolls

- 11" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavor, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximise fridge and freezer space

Dimensions (W x H x D) mm: $90 \times 45 \times 280$ Weight: 0.33 kg Ref No. 9108400483



DOMETIC PERFECTKITCHEN MCK 750

Kettle, 12 V

- A kettle designed to run off a 12 V power source
- Especially designed for mobile use
- · Robust relay technology
- Automatic switch-off when boiling temperature is reached
- Boil-dry protection

Dimensions (W x H x D) mm: 190 x 205 x 125

Weight: 0.75 kg Ref No. 9600000342





970 SERIES

The 970 series of portable toilets provide comfort, simplicity and the latest technology

When on the move, people wish for the comforts of home and the 970 Series of portable toilets provides just that. The powerful touch-button flush technology sets this toilet range miles apart from their competitors as no pumping or batteries are required. They are available in two sizes with an adult-sized seat comfortable beyond words.



DOMETIC 972

Portable toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Dimensions (W \times H \times D) mm: 334 \times 318 \times 387 Weight: 5.44 kg

Ref No. 9108552682



DOMETIC 976

Portable toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Dimensions (W \times H \times D) mm: 334 \times 387 \times 387 Weight: 6.35 kg

Ref No. 9108552688



LESS PUMP

This effective system requires less pump action



PUSH BUTTON OPERATION

A simple push button operation



LESS MESS

Less mess due to an extra-long pivoting discharge spout

ADDITIVES & CONSUMABLES

TOILET TANK CARE

No mess and no excess, just highly efficient pre-measured sanitation in a tab. Standard sanitation fluids add unnecessary weight onboard, and it's easy to spill or use too much. These highly effective sanitation tabs are much lighter than a bottle and take up minimal storage

space. Your hands stay clean and there is no more experimenting as the optimum amount always ends up in the tank rather than on your hands or the floor.





DOMETIC POWERCARE TABS

Sanitation Additive

- No spills or mess
- The dose is pre-measured so no possible overdosing and waste
- Easy storage in a handy tub
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Lighter in weight and less cumbersome than liquids
- Ready to use tabs in a soluble film

Ref No. 9600000125

DOMETIC GREENCARE TABS

Sanitation Additive

- An environmentally friendly toilet tab that doesn't cost the earth
- The dose is pre-measured preventing overdose and waste
- No spills or mess
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Ready to use tabs in a soluble film
- Tabs are much lighter than a bottle and take up minimal storage space

Ref No. 9600000133



DOMETIC EXTRA CARE PINK

Sanitation Additive

Ref No. 9107200001

- Provides a micro-thin protective layer against stains
- Protects the workings of your toilet to ensure a smoother flush
- Pleasant fragrance from an integrated deodoriser
- Has a handy dose measuring strip on the bottle
- Suitable for all portable and cassette toilets



DOMETIC POWER CARE BLUE

Sanitation Additive

- A new and improved formula where one dose can last up to four days
- Highly effective at breaking down waste and preventing nasty odours
- Works even after freezing and thawing
- Has a handy dose measuring strip on the bottle
- Has a fresh and pleasant fragrance



DOMETIC SPECIAL CARE GREEN

Sanitation Additive

- Awarded with the ecological hallmark
- Environmentally friendly without compromising on performance
- Works even after freezing and thawing
- Has a handy dose measuring strip on the bottle
- Accepted at all campsites
- Has a fresh and pleasant fragrance

Ref No. 9107200002

CHARGERS

PERFECTCHARGE MCA

IUOU automatic chargers

Starter batteries and supply batteries are designed for different tasks. To start the engine, starter batteries must initially supply a high current level and will then serve as an energy buffer with smaller partial cycles. Supply or on-board batteries, in contrast, are discharged at lower current levels over longer periods of time and then charged again. This means they are subjected to considerably higher loads.

These special features must be considered by the charging technology to protect the batteries from damage and ensure they have a long service life. The IUOU battery chargers function using a unique six-stage charging cycle. They provide optimum charging for all gel, AGM and wet batteries, because they charge quickly and gently at the same time.



DOMETIC PERFECTCHARGE MCA1215

Battery charger

- 15 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, light weight and easy to install
- Sleep mode for quiet charging at half power

 ideal at night or in parking spaces with low
 electrical circuit protection
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W x H x D) mm: $179 \times 63 \times 238$ Weight: 1.6 kg Ref No. 9108400809



DOMETIC PERFECTCHARGE MCA1225

Battery charger

- 25 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, light weight and easy to install
- Sleep mode for quiet charging at half power

 ideal at night or in parking spaces with low
 electrical circuit protection
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W \times H \times D) mm: 179 \times 63 \times 238 Weight: 1.7 kg Ref No. 9108400810



DOMETIC PERFECTCHARGE MCA1235

Battery charger

- 35 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, light weight and easy to install
- Sleep mode for quiet charging at half power
 - ideal at night or in parking spaces with low
 electrical circuit protection
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W x H x D) mm: $179 \times 63 \times 274$ Weight 1.9 kg Ref No. 9108400811

ACCESSORIES



DOMETIC MPC 01

Battery management system with display and battery sensor

- Offers users full control over their batteries
- Easy to use control panel displays all important battery parameters
- Battery low warning prevents unexpected power problems
- Can be upgraded with three additional battery sensors
- CIS bus interface for integration in complex power management systems

Dimensions (W x H x D) mm: 150 x 136 x 16 Weight: 0.4 kg Ref No. 9102500073



DOMETIC PERFECTCHARGE ACCESSORY MCA-RC1

Remote control

- Touch-button convenience
- Battery charging by remote control
- Sleep mode On/Off

Dimensions (W \times H \times D) mm: $58 \times 72 \times 28$ Weight: 0.19 kg Ref No. 9102500037

INVERTERS

SINEPOWER

Pure sine wave inverters and DC kits: 230 V on the road

Dry your hair, brew an espresso, watch your favourite movies as you would at home. Travel with all the amenities you love. Your SinePower sine wave inverter will gladly deliver the perfect voltage.

Simply select the model to suit your wattage needs. If you need A/C power to run your roof air conditioner while driving, check out our SinePower DC kits.



DOMETIC PERFECTPOWER MCI-150-12

Power inverter

- Compact: the size of a drinks can, it will conveniently fit in vehicle's cup holder!
- 150 W continuous output
- USB output for charging
- Overload, short circuit, high voltage and battery polarity protection system
- Low voltage shutdown
- Peak output power 250 W
- DC cigarette lighter socket

Dimensions (W x H x D) mm: 21 x 21 x 173 Weight: 0.49 kg Ref No. 9109002373



DOMETIC SINEPOWER MSI 412

Sine wave inverter

- 230 V AC like at home
- Suitable for supplying sensitive devices
- Quick and easy installation
- Compact design easy to store
- 350 W continuous output

Dimensions (W x H x D) mm:

• 700 W peak output

124 x 49 x 199

Weight: 0.8 kg

Ref No. 9108400851



DOMETIC SINEPOWER MSI 912

Sine wave inverter

- 230 V AC like at home
- Suitable for supplying sensitive
 devices
- Quick and easy installation
- Compact design easy to store
- 800 W continuous output
- 1600 W peak output



DOMETIC SINEPOWER MSI 1812T

Sine wave inverter

- 230 V AC like at home
- Suitable for supplying sensitive devices
- With battery saving mains priority circuit
- Compact design easy to store
- 1600 W continuous output
- 3200 W peak output

Dimensions (W x H x D) mm: 197.5 x 94 x 291 Weight: 3 kg Ref No. 9108400812 Dimensions (W x H x D) mm: 197.5 x 94.3 x 406 Weight: 6.5 kg Ref No. 9108400813

ACCESSORIES



DOMETIC SINEPOWER ACCESSORY MCR-7

Remote control

- Inverter operation by remote control
- On/Off and sleep mode switch
- Standby and power-save modes indicated by LFD
- LED error indication (over-voltage, low voltage, overheating, short circuiting)
- Battery voltage indicator

Dimensions (W x H x D) mm: 130 x 120 x 25 Weight: 0.4 kg Ref No. 9108400852



DOMETIC SINEPOWER ACCESSORY MCR-9

Remote control

- Inverter operation by remote control
- On/Off and sleep mode switch
- Standby and power-save modes indicated by LFD

Dimensions (W \times H \times D) mm: $58 \times 72 \times 25$ Weight: 0.04 kg Ref No. 9108400853

BATTERIES

DOMETIC PLB40

Portable lithium battery, 40 Ah

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power - This means that one full charge of the PLB40 allows campers to get the most out of their trip when they're living mobile. Designed for powering portable fridge/freezers and other 12 V appliances while being off-grid. Thanks to its lightweight and compact design you can enjoy true independence and travel offgrid for longer.

- Enables you to travel off-grid for longer
- Three-way charging via 12 V socket, solar panel or AC house power
- Extremely lightweight, ergonomically designed stainless steel carry-handle
- Built-in LCD screen displays: capacity, charging status and output
- Specifically designed for Dometic CFX and other powered fridge or freezers
- Powerful battery cells provide 512 Wh of energy, 40 Ah
- IP44 rated to withstand wet, windy or dusty conditions.

Dimensions (W x H x D) mm: 197 x 257 x 197

Weight: 7.54 kg Ref No. 9600009460





The Dometic PLB40 was a winner of the iF DESIGN AWARD 2019. a world-renowned design prize. 67 independent experts from all over the world were impressed by the PLB40's powerful Lithium Iron Phosphate battery cells and lightweight, portable design. For 66 years, the iF DESIGN AWARD has been recognised as an arbiter of quality for exceptional design.



USB PORTS

Ideal for charging mobile devices



BRING TO ANY REMOTE LOCATION

Lightweight and ergonomically designed stainless steel handle



EASY TO USE

Built-in LCD screen displays charging status and output



THREE-WAY CHARGING

Via 12 V socket, solar panel or AC house power

DOMETIC COOLPOWER RAPS44

Battery pack

This is a portable heavy duty 12 V battery that is the ideal choice for running a portable compressor fridge or freezer for long periods of time. It has superior discharge and charging cycle capability with 44 amp hours.

- Dual output sockets (12 V and hella)
- 44 Ah deep cycle AGM battery cells
- Benefits of dual battery systems that are normally fitted permanently into cars, 4WD, trucks and boats, except that it is portable, for added flexibility and convenience
- Built-in charging posts for charging via 240 V DC charger (charger not included)
- 1.5 m 12 V charging lead
- Battery condition LED/test button
- Rechargeable via solar panels

Dimensions (W x H x D) mm: 230 x 245 x 227 Weight 13.5 kg

Ref No. 9105330164

32



SUN POWER

1 seer tut warranty

The Dometic PSB150 is a compact, foldable solar blanket excellent for outdoor enthusiasts seeking a simple way to maintain a charge. It's made from powerful C60 SunPower® monocrystalline cells and its portability is achieved by a build that is approximately one third of the weight of equivalent glass solar panels.



DOMETIC PSB150

Portable solar blanket

- Made from efficient C60 SunPower monocrystalline cells that ensure longevity
- Integrated with an IP65 rated, 15 A, 5-stage PWM solar charge controller that prevents the battery from over or under charging
- Can charge up to six different battery types, including lithium (LiFePo4), AGM, GEL, Wet, Calcium & Description
- Anti-reflective ETFE coating ensures high corrosion resistance and excellent performance
- Built-in LCD screen displays system status
- Approximately one-third of the weight of equivalent glass solar panels
- Comes with 5 m Anderson connectors which minimise voltage drops,
 1.5 m alligator clips and a carry bag

Dimensions (W x H) mm: 908 x 2233 Weight: 5.20 kg Ref No. 9600010943



INFORMATIVE DISPLAY



LIGHTWEIGHT AND PORTABLE DESIGN



THE COMPLETE PACKAGE



DOMETIC PORTABLE SOLAR PS120A

Portable solar panel

- Fold up easily and is compact
- Battery temperature sensor
- Adjustable feet for optimum angel to the sun
- 12 V, 10 A heavy duty regulator
- High performance monocrystalline silicon 6.63 A output
- 5 m lead with alligator clips anderson plug connector
- Light weight at only 12.25 kg with cables and protective carry bag included

Dimensions (W x H x D) mm: 534 x 754 x 70 Weight: 12.25 kg Ref No. 9108400883



DOMETIC PORTABLE SOLAR PS180A

Portable solar panel

- Folds up easily and is compact
- Battery temperature sensor
- Three adjustable feet for optimum angle to the sun
- 12 V, 20 A heavy-duty regulator
- High performance monocrystalline silicon 9.95 A output
- 5 m lead with alligator clips anderson plug connector
- Lightweight at only 17 kg with cables and protective carry bag included

Dimensions (W \times H \times D) mm: 538 \times 758 \times 115 Weight: 17 kg Ref No. 9108400917



DOMETIC RTS150

Solar panel

- Easily installed to the rooftop of most recreational vehicles
- Withstands extreme wind
- Efficient monocrystalline silicon cells
- Topped with durable tempered glass
- Strong aluminium frame

Dimensions (W x H x D) mm: 670 x 35 x 1480 Weight: 12 kg Ref No. 9600005818



DOMETIC SC1230

30 A Solar charge controller

- 3 stage intelligent PWM solar charging
- Twin USB ports
- Low voltage disconnect
- Suitable for use with a range of battery types
- Informative backlight LCD display
- Operating temperature range of -25°C - +55°C
- Multiple load control modes

Dimensions (W x H x D) mm: 181 x 100.9 x 59.8 Weight: 0.55 kg Ref No. 9600005819

AWNINGS

DOMETIC PERFECTROOF 2500

Roof mounted awning

For vehicles of 4.5 m and over, this is one of the most compact awning solutions you'll find. With a patented locking system, it is lightweight yet incredibly robust and durable.

- Quick and easy to set up and adjust by one person
- The most lightweight awning on the market
- Patented Easy Flip Locking system securely holds support legs
- Aluminum end caps are resistant to rust, shock and impact
- For vehicle lengths of 4.5 m up to 6 m
- Made from a tough vinyl material with a transparent acrylic coating
- The optimised housing design does not affect the vehicle's aerodynamics






PATENTED FRONT RAIL

Guarantees easy access to the support legs and tight housing closure



OPTIONAL MOTOR

Completely integrated, does not extend housing, with remote control



HIGH-QUALITY AWNING CLOTH

Made of one piece – no welding seam

DOMETIC PERFECTWALL PW 1500

Wall mounted awning

This robust wall awning is ideally suited for large vehicles. The patented automatic front rail allows it to slide in and out smoothly. Aluminum end caps for heavy impact resistance.

- Easily set up by just one person
- One of the lightest awnings for large vehicles
- Support legs with patented Easy Lock Flipper to secure the awning
- Heavy duty UV-protected reinforced vinyl
- Telescopic crank
- Great quality with 100 % aluminum end caps



Colours The colour in the above images should be used as a guide only. For exact fabric colour, see your Dometic dealer.





Dometic is a global market leader in branded solutions for mobile living in the areas of Climate, Hygiene & Sanitation and Food & Beverage. Dometic operates in the Americas, EMEA and Asia Pacific, providing products for use in recreational vehicles, trucks and premium cars, pleasure and workboats, and for a variety of other uses. Dometic offer products and solutions that enrich people's experiences away from home, whether in a motorhome, caravan, boat or a truck. Our motivation is to create smart and reliable products with outstanding design. We operate 28 manufacturing/assembly sites in 11 countries, sell our products in approximately 100 countries and manufacture approximately 85% of products sold in-house. We have a global distribution and dealer network in place to serve the aftermarket. Dometic employs approximately 8,200 people worldwide, had net sales of SEK 14.0 billion in 2017 and is headquartered in Solna, Sweden.

E & OE. Please note: Dometic may introduce modifications to products, therefore details herein are subject to change without notice. No liability is accepted for errors. Printing processes may not depict colour accurately.

